

Subject Index for Volume 209¹

A

- AcNPV**, *see* **Autographa californica nuclear polyhedrosis virus**
- Adeno-associated virus**
linear duplex DNA replication *in vitro*, minimum origin requirements, 692
- Adenoviruses**
ovine, homologues for 100K hexon assembly, 33K, pVIII, and fiber genes, sequence, 400
type 2, protease encapsidation and activity, effect of proline 137 mutation, 167
- African horsesickness virus**
and other orbiviruses, nonstructural NS2 proteins, structure and ssRNA-binding ability, comparison, 624
- Amino acid sequence**
caprine arthritis–encephalitis virus provirus/visna virus envelope, variation, 297
capripoxvirus *HindIII* Q2 fragment encoding G protein-coupled chemokine receptor homolog, 207
Choristoneura fumiferana nuclear polyhedrosis virus DNA polymerase, 538
Epstein–Barr virus BDLF3 ORF-encoded gp150, 108
HIV-1 envelope V3 domains in subtype D, G, and A/D recombinant, 136
human respiratory syncytial virus
G proteins, groups A and B 70
phosphoprotein P, 205, 93; *erratum*, 209, 284
human T-cell lymphotropic virus type II proteins produced by spliced mRNAs, 445
lactate dehydrogenase-elevating virus ORFs 1a and 1B in strains P and C, 637
lyssavirus nucleoprotein, 526
ovine adenovirus homologues for 100K hexon assembly, 33K, pVIII, and fiber proteins, 400
ovine pestivirus autoprotease and nucleocapsid proteins, 200
- Antibodies**
monoclonal, *see* **Monoclonal antibodies**
- Antibody responses**
to HIV-1, induction in mouse by DNAs expressing HIV-1 Env and noninfectious HIV-1 particles, 147
- Antigenicity**
group A and B respiratory syncytial virus G proteins to G protein-specific monoclonal antibodies, 70
rotavirus, effect of VP7 glycosylation and genetic context, 80
- Antigens**
CD4, sensitivity to HIV-1 Vpu protein-induced degradation, role of alpha-helix structure in CD4 proximal cytoplasmic region, 615
Fas, apoptotic, encoding gene, activation upon influenza virus infection, role of spontaneously produced β -interferon, 288
- Apoptosis**
induction by AcNPV in *Spodoptera littoralis* cells, 519
- Attenuation**
channel catfish herpesvirus by thymidine kinase gene deletion, effect on infectivity, 658

- Autographa californica nuclear polyhedrosis virus**
fourth instar *Trichoplusia ni* orally inoculated with, developmental resistance in, 384
IE1 protein
expression during viral infection in Sf9 cells, 99
tsB821 temperature-sensitive mutant, altered transactivation and DNA-binding activities, 90
pathogenesis in *Trichoplusia ni* and *Heliothis virescens* larvae, comparison, 561
wild-type, induction of apoptosis in *Spodoptera littoralis* cells, 519
- Avian leukosis virus**
based packaging cell lines, for contaminant defective virus production, analysis, 671

B

- Bacteria**
Escherichia coli, *see* *Escherichia coli*
- Baculoviruses**, *see* *specific baculovirus*
- Bluetongue virus**
and other orbiviruses, nonstructural NS2 proteins, structure and ssRNA-binding ability, comparison, 624
serotype 17, homotypic and heterotypic neutralization determinants, 263
- Border disease virus**
isolates, characterization: evidence for more than three species within genus pestivirus, 200
- Bovine herpesvirus**
DNA, latently transcribed regions, altered dinucleotide content, implications for latent RNA expression and DNA structure, 358
type 1, glycoproteins B and C, heparin binding, 230
- Bovine immunodeficiency virus**
long terminal repeat, identification of *cis*-acting regulatory elements, 604
- Bovine leukemia virus**
induced leukemogenesis in cattle and sheep, relationship with p53 tumor-suppressor gene mutations, 676

C

- Caprine arthritis–encephalitis virus**
complete provirus, erratic G→A hypermutation in, sequence, 297
- Capripoxvirus**
strain KS-1, *HindIII* Q2 fragment encoding G protein-coupled chemokine receptor homolog, sequence analysis, 207
- Casein kinase II**
mediated phosphorylation of human respiratory syncytial virus phosphoprotein P
role in transcriptional activity, 205, 104; *erratum*, 209, 284
Ser²³⁷ as site of, 205, 93; *erratum*, 209, 284
- Cell fusion**
cell–cell, mediated by HIV-1 T-cell line tropic strains in macrophages, and viral entry, restriction by V3 loop, 696
HIV-1 subtype D Zairian isolate NDK, determinants, 649
parainfluenzavirus type 1, hemagglutinin–neuraminidase-mediated, enhancement by single amino acid change, 654

¹ A cumulative subject index for the year 1995 will appear in the December issue.

Cell lines

- Akata (Burkitt's lymphoma), anti-immunoglobulin induced Epstein-Barr virus lytic cycle, blockage by cyclosporin A and FK506, 225
- BHK (baby hamster kidney)
135-kDa protein, herpes simplex virus type 1 Vmw110 multimerization and interaction with, identification of required viral sequences, 174
- Sendai virus-infected, cytoskeletal and lipid components, interaction with viral fusion, matrix, and hemagglutinin-neuraminidase proteins, 701
- B95-8 (marmoset), producing Epstein-Barr virus, transmissible retrovirus in, identification and characterization, 374
- COS-7 (African green monkey kidney), CD4 degradation by HIV-1 Vpu protein: role of alpha-helix structure in CD4 proximal cytoplasmic region in antigen sensitivity, 615
- CV-1 (African green monkey kidney), paramyxovirus SV5 mutant fusion protein expression, associated syncytia formation, 242
- HeLa (human cervical carcinoma)
expression of minute virus of mice NS1 mutant, 122
- parainfluenzavirus type 1 HN, fusogenicity, enhancement by single amino acid change, 654
- paramyxovirus SV5 F glycosylation mutants expressed in, subsequent SV5 assembly, transport, and fusion activity, 250
- Jurkat (human T lymphoma), with stably integrated HIV-1 LTR and HTLV-I LTR/lacZ vectors, LTR response to T cell activation, 633
- LCL (CD4⁺ B lymphoblastoid), Epstein-Barr virus- and HIV-1-infected, lack of pseudotype formation, 643
- mammalian and mosquito, infected Sindbis virus-Japanese encephalitis virus recombinants, secretion of JEV subviral particles, suppression by SIN nonstructural protein, 155
- MDCK (Madin-Darby bovine kidney), infectivity of glycoprotein C-minus bovine herpesvirus-1, inhibition by heparin, 230
- packaging, avian leukosis virus-based, for contaminant defective virus production, analysis, 671
- Sf9 (*Spodoptera frugiperda*)
AcNPV-infected, late gene and polyhedrin expression, effect of shift to nonpermissive temperature during early infection, 90
- expressed orbivirus nonstructural NS2 protein, structure and ssRNA-binding ability, 624
- SL2 (*Spodoptera littoralis*), wild-type AcNPV-induced apoptosis, 519
- UB31-B3 (human glioblastoma), human cytomegalovirus-induced syncytia formation, effect of viral glycoprotein B mutation, 580
- Vero (African green monkey kidney), pseudorabies virus EPO deletion mutant replication, effect of homologous protein expression, 281

Central nervous system

- vesicular stomatitis virus entry after infection of olfactory neuroepithelium, early events (mouse), 257

Channel catfish virus

- attenuation by thymidine kinase gene deletion, effect on infectivity, 658

Chemokine receptors

- G protein-coupled, capripoxvirus HindIII Q2 fragment encoding homolog of, sequence analysis, 207

Chicken anemia virus

- genomic organization, 480

***Choristoneura fumiferana* nuclear polyhedrosis virus**

- DNA polymerase gene, identification, localization, transcription, and sequence analysis, 538
- genome, origin of DNA replication, identification and analysis, 409

***cis*-acting elements**

- in bovine immunodeficiency virus LTR, identification, 604

Complementation

- intragenomic, dicistronic poliovirus 3AB mutant, 315

Cucumber mosaic virus

- 3a gene, transgenic tobacco expressing, complementation of virus movement, 188

Cyclosporin A

- blockage of Epstein-Barr virus lytic cycle induction by anti-immunoglobulin in lymphoma cells, 225

Cytomegalovirus

- human, syncytia formation, effect of glycoprotein B mutation, 580
- murine, IE2 protein, role in viral growth and latency in infected mouse, 236
- and SV40, promoters, rabies virus DNA vaccine with, effect on immune response in mouse, 569

Cytoskeleton

- Sendai virus-infected BHK cells, components, interaction with fusion, matrix, and hemagglutinin-neuraminidase proteins, 701

Cytotoxic T cells

- feline immunodeficiency virus-specific, from chronically infected cats, induction *in vitro* by retroviral vector-transduced feline T cells expressing FIV capsid protein, 390

D**Differentiation**

- state of, effect on Theiler's virus growth in murine macrophage cell lines, 437

Dinucleotides

- altered content in latently transcribed regions of alphaherpesvirus DNA, implications for latent RNA expression and DNA structure, 358

DNA

- alphaherpesvirus, latently transcribed regions, altered dinucleotide content, implications for latent RNA expression and DNA structure, 358
- capripoxvirus HindIII Q2 fragment encoding G protein-coupled chemokine receptor homolog, sequence analysis, 207
- complementary, squirrel monkey retrovirus-B95-8, nucleotide sequence, 374
- expressing HIV-1 Env and noninfectious HIV-1 particles, induced antibody response in mouse, 147
- genomic, chicken anemia virus, cloning and sequencing, 480
- human herpesvirus type 6 strain U1102, sequence structure, coding content, and genome evolution, 29
- linear duplex, adeno-associated virus, replication *in vitro*, minimum origin requirements, 692
- vaccinia virus, homologous recombination fidelity, 688

DNA-directed DNA polymerase

- Choristoneura fumiferana* nuclear polyhedrosis virus, gene encoding, identification, localization, transcription, and sequence analysis, 538

DNA polymerase, *see* DNA-directed DNA polymerase**Dose-mortality relationships**

- Autographa californica* nuclear polyhedrosis virus in *Trichoplusia ni* and *Heliothis virescens* larvae, comparison, 561

E**Encapsulation**

- adenovirus type 2 proteinase, effect of proline 137 mutation, 167

Envelope

- caprine arthritis-encephalitis virus provirus/visna virus, sequence variation, 297

Epitopes

- neutralization, bluetongue virus, homotypic and heterotypic, identification, 263
- serotype-specific, infectious pancreatic necrosis virus VP2, mapping, 684

Epizootic hemorrhagic disease virus

- and other orbiviruses, nonstructural NS2 proteins, structure and ssRNA-binding ability, comparison, 624

Epstein-Barr virus

- anti-immunoglobulin induction of lytic cycle in lymphoma cells, blockage by cyclosporin A and FK506, 225
- B95-8 cells producing, transmissible retrovirus in, identification and characterization, 374
- gp150 expressed from BDLF3 open reading frame, 108
- and HIV-1, lack of pseudotype formation in productively coinfecting B lymphoblastoid cells, 643

Escherichia coli

- expression of human respiratory syncytial virus phosphoprotein P, 205, 93; *erratum*, 209, 284

Evolution, see also Phylogeny

- human herpesvirus type 6 strain U1102 genome, 29
- mouse hepatitis virus during chronic infection, 337

F**Feline immunodeficiency virus**

- specific cytotoxic T lymphocytes, from chronically infected cats, induction *in vitro* by retroviral vector-transduced feline T cells expressing FIV capsid protein, 390

FK506

- blockage of Epstein-Barr virus lytic cycle induction by anti-immunoglobulin in lymphoma cells, 225

G**Genes**

- 3a, cucumber mosaic virus, transgenic tobacco expressing, complementation of virus movement, 188
- 33K, ovine adenovirus homologue, sequence, 400
- 63, varicella-zoster virus, transcript mapping and regulatory activity, 218
- 100K hexon assembly protein, ovine adenovirus homologue, sequence, 400
- Fas antigen, apoptotic, activation upon influenza virus infection, role of spontaneously produced β -interferon, 288
- fiber proteins, ovine adenovirus homologue, sequence, 400
- hemagglutinin, avian influenza virus highly pathogenic and nonpathogenic strains, phylogenetic analysis, 664
- ie1*, AcNPV temperature-sensitive mutant, associated amino acid substitutions, effect on protein interaction with viral enhancer elements, 90
- L^3 , mediated resistance against tobamoviruses, role of coat protein (*Capsicum chinense*), 498
- nucleoprotein, rabies virus and lyssavirus genotypes, phylogenetic analysis, 526
- p53, tumor suppressor, mutations, association with bovine leukemia virus-induced leukemogenesis (bovine, sheep), 676
- pol*, full-length, S71-related human endogenous retroviral sequences with, identification, 550
- pVIII, ovine adenovirus homologue, sequence, 400
- Q2/3L, capripoxvirus, encoding G protein-coupled chemokine receptor homolog, sequence analysis, 207
- rotavirus group A, virulence- and host range restriction-associated, identification in gnotobiotic piglet model, 274

Genome amplification

- tobacco etch potyvirus, role of helper component-proteinase-mediated proteolysis, 268

Genomic structure

- chicken anemia virus, 480
- human herpesvirus type 6 strain U1102, 29

Glycoproteins

- B and C, bovine herpesvirus type 1, heparin binding, 230
- gp1, lymphocytic choriomeningitis virus, acid-induced structural changes, pH dependence and kinetics, 3
- gp64, envelope fusion, *Orgyia pseudotsugata* nuclear polyhedrosis

virus, synthesis, oligomerization, and processing in infected *Lymantria dispar* cells, 592

gp120, HIV-1, V3 loop, role in restriction of viral entry of T-cell tropic strains in macrophages, 696

gp150, envelope, expression by Epstein-Barr virus BDLF3 open reading frame, 108

Glycosylation

N-linked, role in paramyxovirus SV5 fusion protein assembly, intracellular transport, and fusion activity, 250

G proteins

- chimeric and truncated, respiratory syncytial virus groups A and B, antigenic analysis, 70
- secreted and membrane-bound, in rabies virus DNA vaccine, effect on immune response in mouse, 569

H**Helper component-proteinase**

mediated proteolysis, role in tobacco etch potyvirus genome amplification, 268

Hemagglutinin

avian influenza virus, genes from highly pathogenic and nonpathogenic strains, phylogenetic analysis, 664

Hemagglutinin-neuraminidase

parainfluenzavirus type 1, fusogenicity enhancement by single amino acid change, 654

paramyxovirus, domain required for promotion of cellular fusion by fusion protein spike, localization, 457

Sendai virus, interaction with host cytoskeletal and lipid components in infected BHK cells, 701

Heparin

binding by bovine herpesvirus type 1 glycoproteins B and C, and effect on gC-minus virus infectivity, 230

Hepatitis C virus

NS3 serine proteinase, *in vitro* assay, 52

Herpes simplex virus**type 1**

ICPO, functional homology with pseudorabies virus early protein O, 281

immediate-early peptide Vmw110, multimerization and interaction with cellular 135-kDa protein, required sequences, identification, 174

transactivator VP16, DNA-binding derivatives lacking carboxy-terminal acidic activation domain, transcriptional activity, 19

types 1 and 2, DNA, latently transcribed regions, altered dinucleotide content, implications for latent RNA expression and DNA structure, 358

Herpesvirus

channel catfish, *see* Channel catfish virus

Herpesvirus type 1

bovine, *see* Bovine herpesvirus type 1

Herpesvirus type 6

strain U1102, DNA sequence: structure, coding content, and genome evolution (human), 29

Hexon assembly

100K protein, encoding gene, ovine adenovirus homolog for, sequence, 400

Host index

bovine, bovine leukemia virus-induced leukemogenesis, relationship with p53 tumor-suppressor gene mutations, 676

cabbage looper

AcNPV early pathogenesis and dose-mortality relationship in larva (*Trichoplusia ni*), 561

fourth instar, orally inoculated with *Autographa californica* M nuclear polyhedrosis virus, developmental resistance (*Trichoplusia ni*), 384

gypsy moth, *Orgyia pseudotsugata* nuclear polyhedrosis virus-infected, GP64 envelope fusion protein synthesis, oligomerization, and processing (*Lymantria dispar*), 592

human, HIV-1 subtype D, G, and A/D recombinant transmissions in Sweden, 136

monkey, poliovirus neurovirulence, effect of mutations accumulating on cultivation of Sabin 2 strain oral vaccine, 366

mouse

- mouse hepatitis virus chronic infection, virus evolution during, 337
- murine cytomegalovirus infection, role of viral IE2 protein, 236
- vesicular stomatitis virus infection of olfactory neuroepithelium and entry into CNS, early events, 257

pepper, L³ gene-mediated resistance against tobamoviruses, role of coat protein (*Capsicum chinense*), 498

pig, gnotobiotic model, in identification of rotavirus group A genes associated with virulence and host range restriction, 274

sheep, bovine leukemia virus-induced leukemogenesis, relationship with p53 tumor-suppressor gene mutations, 676

tobacco, transgenic, expressing cucumber mosaic virus 3a gene, complementation of virus movement (*Nicotiana tabacum*), 188

tobacco budworm larva, AcNPV early pathogenesis and dose-mortality relationship (*Heliothis virescens*), 561

tomato, potato spindle tuber viroid pathogenicity, interdependence with viroid replicability (*Lycopersicon esculentum*), 60

Host range

- human rotavirus, associated genes, identification in gnotobiotic piglet model, 274

HSV-1, see Herpes simplex virus, type 1

HTLV, see Human T-cell lymphotropic virus

Human immunodeficiency virus

- type 1
 - DNA expressing HIV-1 Env and noninfectious HIV-1 particles, induced antibody response in mouse, 147
 - and Epstein-Barr virus, lack of pseudotype formation in productively coinfecting B lymphoblastoid cells, 643
 - integrase, high-affinity RNA ligands to, isolation from random pool, 327
 - integrated LTR vectors, and HTLV-I LTR-lacZ integrated vectors, in Jurkat T cell clones, response to T cell activation, 633
 - subtype D, G, and A/D recombinant, transmissions in Sweden, biological and molecular characterization, 136
 - subtype D Zairian isolate NDK, fusogenic determinants, 649
 - Tat, activation domain, zinc finger protein HT2A interacting with, identification, 347
 - T-cell line tropic strains, mediated cell fusion and viral entry in macrophages, restriction by V3 loop, 696
 - Vpu protein-induced CD4 degradation: role of alpha-helix structure in CD4 proximal cytoplasmic region in antigen sensitivity, 615
- types 1 and 2, and SIV types, poly(A) signal, conservation of hairpin structure, 207, 276; *erratum*, 209, 284

Human parainfluenza virus 3

- hemagglutinin-neuraminidase, domain required for promotion of cellular fusion by fusion protein spike, localization, 457

Human T-cell lymphotropic virus

- type I, integrated LTR-lacZ vectors, and HTLV-I LTR integrated vectors, in Jurkat T cell clones, response to T cell activation, 633
- type II, X region, proteins produced by mRNAs spliced into, expression and characterization, 445

Hypermutations

- G→A, erratic, in complete caprine arthritis-encephalitis virus provirus, sequence, 297

Immune responses

- to rabies virus DNA vaccine, role of promoter and antigen form and cellular location in vector construct (mouse), 569

Immunoglobulins

- anti-Ig, induction of Epstein-Barr virus lytic cycle in lymphoma cells, blockage by cyclosporin A and FK506, 225

Infection

- AcNPV in Sf9 cells, IE1 protein expression, 99
- chronic demyelinating, with mouse hepatitis virus, virus evolution during, 337
- vesicular stomatitis virus in murine olfactory neuroepithelium, and entry in central nervous system, early events, 257

Infectious bronchitis virus

- 1a/1b polyprotein, proteolytic processing, ORF 1a-encoding proteinase domain responsible for, characterization and mutational analysis, 420

Infectious bursal disease virus

- serotype I and II strains, genomic dsRNA segments, terminal sequences, 10

Infectious laryngotracheitis virus

- thymidine kinase-deficient mutants, generation, 304

Infectious pancreatic necrosis virus

- major capsid protein VP2, serotype-specific epitope, mapping, 684

Infectivity

- channel catfish herpesvirus, effect of attenuation by thymidine kinase gene deletion, 658
- glycoprotein C-minus bovine herpesvirus-1 in MDCK cells, inhibition by heparin, 230

Influenza virus

- activation of apoptotic Fas antigen-encoding gene upon infection, role of spontaneously produced β -interferon, 288
- avian, highly pathogenic and nonpathogenic strains, hemagglutinin genes, phylogenetic analysis, 664

Integrase

- HIV-1, high-affinity RNA ligands to, isolation from random pool, 327

Interferon- β

- double-stranded RNA system, role in activation of apoptotic Fas antigen-encoding gene upon influenza virus infection, 288

Intracellular transport

- paramyxovirus SV5 fusion protein, role of N-linked glycosylation, 250

J

Japanese encephalitis virus

- subviral particles, secretion from mammalian cells infected by Sindbis virus-JEV recombinants, suppression by SIN vectors, 155

L

Lactate dehydrogenase-elevating virus

- strains P and C, genomic sequence heterogeneity, 637

Latency

- murine cytomegalovirus in mouse, role of IE2 protein, 236

Leukemogenesis

- bovine leukemia virus-induced, in cattle and sheep, relationship with p53 tumor-suppressor gene mutations, 676

Lipids

- Sendai virus-infected BHK cells, interaction with fusion, matrix, and hemagglutinin-neuraminidase proteins, 701

Long terminal repeats

- bovine immunodeficiency virus, identification of cis-acting regulatory elements, 604

- HIV-1 and HTLV-I, stably integrated in Jurkat clones, response to T cell activation, 633

Lymphocytes

- T, *see* T cells

Lymphocytic choriomeningitis virus

- glycoprotein complex, acid-induced structural changes, kinetics and pH dependence, 3

Lyssaviruses

nucleoprotein gene, genetic polymorphism, 526

Lytic cycle

Epstein-Barr virus, induction by anti-immunoglobulin in lymphoma cells, blockage by cyclosporin A and FK506, 225

M**Macrophages**

cell fusion and viral entry of HIV-1 T-cell line tropic strains, restriction by V3 loop, 696

M1, P388D1, and RAW264.7, Theiler's virus growth in, effect of state of differentiation (mouse), 437

Membrane fusion

lymphocytic choriomeningitis virus, pH dependence and kinetics, 3
paramyxovirus, promotion by viral attachment protein and fusion protein spike, localization of associated HN domain, 457

Minute virus of mice

replicator protein NS1, sequence motifs essential for nicking and covalent attachment to viral origin: identification of linking tyrosine, 122

Molecular structure

CD4, alpha-helix in proximal cytoplasmic region, role in antigen sensitivity to HIV-1 Vpu protein-induced degradation, 615

Monoclonal antibodies

G protein-specific, immunoreactivity with group A and B respiratory syncytial virus G proteins, 70

in identification of bluetongue virus homotypic and heterotypic neutralization determinants, 263

rotavirus VP7-specific, in selection of neutralization-resistant rotavirus variants, 80

Mouse hepatitis virus

defective-interfering RNA, replication, role of *cis*-acting viral protein, 428

evolution during chronic infection, 337

strain A59, leader papain-like proteinase, *in vitro* cleavage site identification, 489

Mutants

cleavage, paramyxovirus SV5 fusion protein, induction of regulated and extensive syncytium formation after expression in CV-1 cells, 242

polypeptide 3AB in dicistronic polioviruses, intragenomic complementation, 315

rotavirus, neutralization-resistant, selection with VP7-specific monoclonal antibodies, 80

satellite tobacco ringspot virus RNA, nonaccumulating, stimulation of increase of trace amount of satellite RNA associated with TRSV, 470

thymidine kinase-deficient, infectious laryngotracheitis virus, generation, 304

Mutational analysis

infectious bronchitis virus, ORF 1a encoding proteinase domain responsible for proteolytic processing of viral 1a/1b polyprotein, 420

Mutations, see also Hypermutations

accumulating on cultivation of Sabin 2 strain oral poliovirus vaccine, selection, 366

AcNPV, temperature sensitive, IE1 protein interaction with viral enhancer elements, 90

human cytomegalovirus glycoprotein B, effect on syncytia formation, 580

proline 137, adenovirus type 2 proteinase, effect on enzyme encapsidation and activity, 167

p53 tumor-suppressor gene, association with bovine leukemia virus-induced leukemogenesis (bovine, sheep), 676

spontaneous deletion, soil-born wheat mosaic virus RNA-2, analysis, 213

thymidine kinase gene deletion, attenuation of channel catfish herpesvirus and effect on infectivity, 658

N**Neuraminidase**

—hemagglutinin, *see* Hemagglutinin—neuraminidase

Neurons

olfactory receptor, infection by vesicular stomatitis virus, early events (mouse), 257

Neurovirulence

in monkey, effect of mutations accumulating on cultivation of Sabin 2 strain oral poliovirus vaccine, 366

Neutralization

bluetongue virus, homotypic and heterotypic determinants, 263

rotavirus, resistant mutants, selection with VP7-specific monoclonal antibodies, 80

Newcastle disease virus

hemagglutinin—neuraminidase, domain required for promotion of cellular fusion by membrane protein spike, localization, 457

Nucleotide sequence

capripoxvirus *Hind*III Q2 fragment encoding G protein-coupled chemokine receptor homolog, 207

Choristoneura fumiferana nuclear polyhedrosis virus

DNA polymerase gene, 538

origin of DNA replication, 409

HIV and SIV poly(A) site, 207, 276; *erratum*, 209, 284

human respiratory syncytial virus phosphoprotein P, 205, 93; *erratum*, 209, 284

infectious bursal disease virus genomic dsRNA 5'- and 3'-noncoding regions, 10

lactate dehydrogenase-elevating virus strains P and C, ORFs 1a and 1b, 637

ovine adenovirus homologues for 100K hexon assembly, 33K, pVIII, and fiber genes, 400

ovine perstivirus 5' noncoding region, 200

squirrel monkey retrovirus-B95-8 cDNA, 374

S71-related endogenous retroviral reverse transcriptase and *pol* fragments, 550

O**Obituaries**

André Lwoff, 1

Richard Ellis Ford Matthews, 287

Open reading frames

1a, infectious bronchitis virus, encoding proteinase domain responsible for proteolytic processing of 1a/1b polyprotein, characterization and mutational analysis, 420

1a and 1b, lactate dehydrogenase-elevating virus strains P and C, sequence analysis, 637

61, varicella-zoster virus, encoded protein, functional homology with pseudorabies virus early protein O, 281

BDLF3, Epstein-Barr virus expression of gp150, 108

Q2/3L, capripoxvirus, encoding G protein-coupled chemokine receptor homolog, sequence analysis, 207

ORF, see Open reading frames***Orgyia pseudotsugata* nuclear polyhedrosis virus**

GP64 envelope fusion protein, synthesis, oligomerization, and processing in infected *Lymantria dispar* cells, 592

Origin of replication

adeno-associated virus linear duplex DNA *in vitro*, minimum origin requirements, 692

- in *Choristoneura fumiferana* multinucleocapsid nuclear polyhedrosis virus genome, identification and analysis, 409
- minute virus of mouse replicator protein NS1 essential for nicking and covalent attachment to, associated tyrosine linking motif, identification, 122

P

Papillomavirus type 6a

- human, sequence determination and assembly of virus-like particles in *Saccharomyces cerevisiae*, 506

Parainfluenzavirus type 1

- hemagglutinin-neuraminidase glycoprotein, fusogenicity, enhancement by single amino acid change (human), 654

Paramyxovirus

- SV5 fusion protein
- cleavage mutants, induction of regulated and extensive syncytium formation after expression in CV-1 cells, 242
 - intracellular transport, role of N-linked oligosaccharide chains, 250

Particles

- Japanese encephalitis virus, subviral, secretion from mammalian cells infected with Sindbis virus-JEV recombinants, suppression by SIV vectors, 155
- noninfectious, HIV-1, and Env, DNAs expressing, role in induction of antibody response in mouse, 147
- virus-like, human papillomavirus type 6a, assembly in *Saccharomyces cerevisiae*, 506

Pathogenesis

- Autographa californica* nuclear polyhedrosis virus in *Trichoplusia ni* and *Heliothis virescens* larvae, comparison, 561

Pathogenicity

- potato spindle tuber viroid in tomato, and replicability, interdependence, 60

Pepper mild mottle virus

- in analysis of *Capsicum* L³ gene-mediated resistance to tobamoviruses: role of coat protein, 498

Peptides

- amino-terminal, vaccinia virus structural protein precursors, role in proteolytic processing, 207, 229; *erratum*, 209, 285
- immediate-early, Vmw110, herpes simplex virus type 1, multimerization and interaction with cellular 135-kDa protein, required sequences, identification, 174

Pestivirus

- evidence for more than three species within genus: characterization of border disease virus isolates, 200

pH

- role in lymphocytic choriomeningitis virus glycoprotein complex dissociation from virion, 3

Phenotype

- HIV-1 subtype D Zairian isolate NDK fusogenic determinants, characterization, 649
- transdominant negative, human respiratory syncytial virus phosphorylation-defective P mutant, 205, 104; *erratum*, 209, 284

Phosphoproteins

- P, human respiratory syncytial virus
- bacterial expression, and casein kinase II-mediated phosphorylation at Ser²³⁷, 205, 93; *erratum*, 209, 284
 - transcriptional activity, role of casein kinase II-mediated phosphorylation, 205, 104; *erratum*, 209, 284

Phosphorylation

- human respiratory syncytial virus phosphoprotein P, casein kinase II-mediated
- role in P protein transcription, 205, 104; *erratum*, 209, 284
 - Ser²³⁷ as site of, 205, 93; *erratum*, 209, 284

- role in double-stranded RNA-interferon system activation of apoptotic Fas antigen-encoding gene upon influenza virus infection, 288

Phylogeny, see also Evolution

- avian influenza virus hemagglutinin genes from highly pathogenic and nonpathogenic strains, 664
- border disease virus isolates, characterization: evidence for more than three species within genus pestivirus, 200
- HIV-1 and -2, and SIV types, poly(A) signal hairpin structure, 207, 276; *erratum*, 209, 284
- HIV-1 subtype D, G, and A/D recombinant transmitted in Sweden, 136
- rabies virus and lyssavirus nucleoprotein genes, 526

Poliovirus

- dicistronic, polypeptide 3AB mutant, intragenomic complementation, 315
- oral vaccine, Sabin 2 strain, grown under different cell culture conditions, genetic stability and mutant selection, 366

Polyadenylation signal

- HIV-1 and -2 and SIV types, conservation of hairpin structure, 207, 276; *erratum*, 209, 284

Polypeptides

- 3AB, mutant, in dicistronic polioviruses, intragenomic complementation, 315

Polypeptides

- infectious bronchitis virus 1a/1b, proteolytic processing, ORF 1a-encoding proteinase domain responsible for, characterization and mutational analysis, 420

Potato spindle tuber viroid

- pathogenicity and replicability, interdependence, 60

Proline 137

- adenovirus type 2 proteinase, mutation, effect on enzyme encapsidation and activity, 167

Promoters

- SV40 and cytomegalovirus, rabies virus DNA vaccine with, effect on immune response in mouse, 569

Proteinase

- cysteine, adenovirus type 2, encapsidation and activity, effects of proline 137 mutation, 167
- domain responsible for proteolytic processing of infectious bronchitis virus 1a/1b polypeptide, ORF 1a encoding, characterization and mutational analysis, 420
- helper component, *see* **Helper component-proteinase**
- leader papain-like, mouse hepatitis virus strain A59, *in vitro* cleavage site identification, 489

Protein folding

- paramyxovirus SV5 fusion protein, role of N-linked glycosylation, 250

Proteins

- 33K, encoding genes, ovine adenovirus homologues for, sequence, 400
- 100K hexon assembly, encoding gene, ovine adenovirus homolog for, sequence, 400
- 135-kDa, herpes simplex virus type 1 Vmw110 polypeptide multimerization and interaction with, identification of required viral sequences, 174
- capsid
- feline immunodeficiency virus, retroviral vector-transduced feline T cells expressing, *in vitro* induction of FIV-specific cytotoxic T lymphocytes from chronically infected cat, 390
 - VP2, infectious pancreatic necrosis virus, serotype-specific epitope, mapping, 684
 - VP7, rotavirus, effect of glycosylation on viral antigenicity, 80
- coat, role in *Capsicum* L³ gene-mediated resistance against tobamoviruses, 498
- early, O, pseudorabies virus, functional homology with varicella-zoster virus ORF61 protein and HSV-1 ICPO, 281

- envelope, V3 domain, HIV-1 subtype D, G, and A/D recombinant, biological and molecular characterization, 136
- fiber, encoding genes, ovine adenovirus homologues for, sequence, 400
- fusion
- and neuraminidase-hemagglutinin, paramyxovirus, promotion of cellular fusion, associated HN domain, localization, 457
 - paramyxovirus SV5
 - assembly, intracellular transport, and fusion activity, role of N-linked glycosylation, 250
 - cleavage mutants, induction of regulated and extensive syncytium formation after expression in CV-1 cells, 242
 - Sendai virus, interaction with host cytoskeletal and lipid components in infected BHK cells, 701
- ICPO, HSV-1, functional homology with pseudorabies virus early protein O, 281
- IE2, murine cytomegalovirus, role in viral growth and latency in infected mouse, 236
- matrix, Sendai virus, interaction with host cytoskeletal and lipid components in infected BHK cells, 701
- nonstructural
- NS2, bluetongue virus, African horsesickness virus, and epizootic hemorrhagic virus, structure and ssRNA-binding ability, 624
 - NS3, hepatitis C virus, associated serine proteinase, *in vitro* assay, 52
 - Sindbis virus, suppression of Japanese encephalitis virus subviral particle secretion in mammalian cells infected with SIN-JEV recombinants, 155
- p53, gene mutations, association with bovine leukemia virus-induced leukemogenesis, 676
- produced by mRNAs spliced into X region of human T-cell leukemia/lymphotropic virus type II, expression and characterization, 445
- pVIII, encoding genes, ovine adenovirus homologues for, sequence and fiber,, 400
- Rep 68/78, adeno-associated virus, in analysis of minimum origin requirements for linear duplex DNA replication *in vitro*, 692
- replicator, NS1, minute virus of mice, sequence motifs essential for nicking and covalent attachment to viral origin: identification of linking tyrosine, 122
- structural, vaccinia virus, precursor, amino terminal peptide, role in proteolytic processing, 207, 229; *erratum*, 209, 285
- Tat, HIV-1, activation domain, zinc finger protein HT2A interacting with, identification (human), 347
- viral, *cis*-acting, role in replication of coronavirus defective-interfering RNA, 428
- Vpu, HIV-1, induced CD4 degradation: role of alpha-helix structure in CD4 proximal cytoplasmic region in antigen sensitivity, 615
- zinc finger, HT2A, interacting with activation domain of lentiviral Tat proteins, identification (human), 347
- Proteolytic processing**
- helper component-proteinase-mediated, role in tobacco etch potyvirus genome amplification, 268
 - infectious bronchitis virus 1a/1b polyprotein, ORF 1a encoding proteinase domain responsible for, characterization and mutational analysis, 420
 - vaccinia virus, role of structural protein precursor amino terminal peptide, 207, 229; *erratum*, 209, 285
- Proviruses**
- caprine arthritis-encephalitis virus, complete, erratic G→A hypermutation in, sequence, 297
- Pseudorabies virus**
- DNA, latently transcribed regions, altered dinucleotide content, implications for latent RNA expression and DNA structure, 358
 - early protein O, functional homology with varicella-zoster virus ORF61 protein and HSV-1 ICPO, 281
- Pseudotypes**
- Epstein-Barr virus and HIV-1, lack of formation in productively coinfecting B lymphoblastoid cells, 643
- R**
- Rabies virus**
- nucleic acid vaccines against, immune responses in mouse, 569
 - nucleoprotein gene, genetic polymorphism, 526
- Recombinants**
- Sindbis virus-Japanese encephalitis virus, infected mammalian cells, suppression of JEV subviral particle secretion by SIN vectors, 155
- Recombination**
- homologous, vaccinia virus DNA, fidelity, 688
- Replication**
- coronavirus defective-interfering RNA, role of *cis*-acting viral protein, 428
 - parvoviral DNA, role of initiator protein and sequence homology with prokaryotic rolling circle replication initiators, 122
 - potato spindle tuber viroid, and pathogenicity, interdependence, 60
 - tobacco etch potyvirus, role of helper component-proteinase-mediated proteolysis, 268
- Resistance**
- developmental, in fourth instar *Trichoplusia ni* orally inoculated with *Autographa californica* M nuclear polyhedrosis virus, 384
 - against tobamoviruses, *Capsicum* L³ gene-mediated, role of coat protein, 498
- Respiratory syncytial virus**
- groups A and B, chimeric and truncated G proteins, antigenic analysis (human), 70
 - phosphoprotein P
 - bacterial expression and identification of Ser²³⁷ as site of phosphorylation by cellular casein kinase II (human), 205, 93; *erratum*, 209, 284
 - transcriptional activity, role in casein kinase II-mediated phosphorylation (human), 205, 104; *erratum*, 209, 284
- Retroviruses**
- contaminant defective, production, analysis of avian leukosis virus-based packaging cell lines for, 671
 - human endogenous, S71-related sequences with full-length *pol* genes, identification, 550
 - transmissible, in Epstein-Barr virus-producer B95-8 cells, identification and characterization, 374
 - vectors, *see* **Vectors, retroviral**
- Reverse transcriptase, *see* RNA-directed DNA polymerase**
- RNA**
- 2, soil-borne wheat mosaic virus, spontaneous deletion sites, analysis, 213
 - alphaherpesvirus, latent expression, implications of altered dinucleotide content in latently transcribed regions of viral DNA, 358
 - defective-interfering, coronavirus, replication, role of *cis*-acting viral protein, 428
 - double-stranded
 - infectious bursal disease virus strains, genomic segments, terminal sequences, 10
 - and interferon- β , role in activation of apoptotic Fas antigen-encoding gene upon influenza virus infection, 288
 - high-affinity ligands, to HIV-1 integrase, isolation from random pool, 327
 - messenger, spliced into X region of human T-cell leukemia/lymphotropic virus type II, proteins produced by, expression and characterization, 445
 - mouse hepatitis virus, evolution during chronic infection, 337

- satellite, trace amount associated with tobacco ringspot virus, stimulation of increase by nonaccumulating satellite RNA mutants, 470
- single-stranded, binding by nonstructural NS2 protein of bluetongue virus, African horsesickness virus, and epizootic hemorrhagic virus, 624
- tobacco etch potyvirus, genome amplification, role of helper component-proteinase-mediated proteolysis, 268
- varicella-zoster virus gene 63 transcript, mapping, 218
- RNA-directed DNA polymerase**
 - identification in S71-related human endogenous retroviral sequences, 550
- Rotaviruses**
 - bovine, G type 6, VP7-specific monoclonal antibodies, in selection of neutralization-resistant rotavirus variants, 80
 - human, G types 2 and 3, VP7-specific monoclonal antibodies, in selection of neutralization-resistant rotavirus variants, 80
 - human and porcine, group A, virulence and host range restriction, associated genes, identification, 274

S

- SELEX**
 - in isolation of high-affinity RNA ligands to HIV-1 integrase from random pool, 327
- Sendai virus**
 - fusion, hemagglutinin-neuraminidase, and matrix proteins, interaction with host cytoskeletal and lipid components in infected BHK cells, 701
- Serine proteinase**
 - hepatitis C virus NS3, *in vitro* assay, 52
- Simian immunodeficiency virus**
 - and HIV-1 and -2, poly(A) signal, conservation of hairpin structure, 207, 276; *erratum*, 209, 284
- Simian virus 40**
 - and cytomegalovirus, promoters, rabies virus DNA vaccine with, effect on immune response in mouse, 569
- Sindbis virus**
 - Japanese encephalitis virus recombinants, infected mammalian cells, suppression of JEV subviral particle secretion by SIN vectors, 155
- Soil-borne wheat mosaic virus**
 - Oklahoma isolate, RNA2, spontaneous deletion sites, analysis, 213
- Squirrel monkey retrovirus-B95-8**
 - cDNA, nucleotide sequence, 374
- SV40**, *see* Simian virus 40
- Syncytia formation**
 - human cytomegalovirus-induced in glioblastoma-derived cells, effect of viral glycoprotein B mutation, 580
 - induction in CV-1 cells expressing paramyxovirus SV5 mutant fusion proteins, 242

T

- T cells**
 - cytotoxic, *see* Cytotoxic T cells
 - retroviral vector-transduced, expressing feline immunodeficiency virus capsid protein, *in vitro* induction of FIV-specific cytotoxic T lymphocytes from chronically infected cat, 390
- Temperature**
 - effect on late gene and polyhedrin expression in AcNPV mutant-infected Sf9 cells, 90

- Theiler's murine encephalomyelitic virus**
 - growth in murine macrophage cell lines, effect of state of differentiation, 437
- Thymidine kinase**
 - deficient mutants of infectious laryngotracheitis virus, generation, 304
 - gene deletion, attenuation of channel catfish herpesvirus and effect on infectivity, 658
- Tobacco etch virus**
 - replication and genome amplification, requirement for helper component-proteinase-mediated proteolysis, analysis, 268
- Tobacco ringspot virus**
 - satellite RNA associated with, trace amount, stimulation of increase by nonaccumulating satellite RNA mutants, 470
- Tobamoviruses**
 - Capsicum* L³ gene-mediated resistance against, role of coat protein, 498
- Transactivators**
 - IE1, AcNPV
 - expression during viral infection in Sf9 cells, 99
 - temperature-sensitive, altered transactivation and DNA-binding activities, 90
 - VP16, herpes simplex virus type 1, DNA-binding derivatives lacking carboxy-terminal acidic activation domain, transcriptional activity, 19
- Transcription**
 - activation by HSV-1 VP16 DNA-binding derivatives lacking carboxy-terminal acidic activation domain in yeast, 19
 - human respiratory syncytial virus, role of phosphoprotein P phosphorylation by casein kinase II, 205, 104; *erratum*, 209, 284
- Transcription factor elements**
 - in bovine immunodeficiency virus LTR, identification, 604
- Tumors**
 - bovine leukemia virus-induced leukemogenesis in cattle and sheep, relationship with p53 tumor-suppressor gene mutations, 676
- Tyrosine**
 - linking sequence motifs in minute virus of mice replicator protein NS1 essential for nicking and covalent attachment to viral origin, identification, 122

V

- Vaccination**
 - DNA expressing HIV-1 Env and noninfectious HIV-1 particles, induced antibody response in mouse, 147
- Vaccines**
 - DNA, against rabies virus, immune responses in mouse, 569
 - poliovirus, oral, Sabin 2 strain, grown under different cell culture conditions, genetic stability and mutant selection, 366
- Vaccinia virus**
 - DNA, homologous recombination fidelity, 688
 - proteolytic processing, role of structural protein precursor amino terminal peptide, 207, 229; *erratum*, 209, 285
- Varicella-zoster virus**
 - gene 63, transcript mapping and regulatory activity, 218
 - ORF61 protein, functional homology with pseudorabies virus early protein O, 281
- Vectors**
 - retroviral, transduced feline T cells expressing feline immunodeficiency virus capsid protein, *in vitro* induction of FIV-specific cytotoxic T lymphocytes from chronically infected cat, 390
- Vesicular stomatitis virus**
 - infection in murine olfactory neuroepithelium and entry in central nervous system, early events, 257

Viral entry

- HIV-1 T-cell line tropic strains, and cell fusion, in macrophages, restriction by V3 loop, 696
- vesicular stomatitis virus into murine central nervous system, early events, 257

Viral growth

- murine cytomegalovirus in mouse, role of IE2 protein, 236
- Theiler's murine encephalomyelitic virus in murine macrophage cell lines, effect of state of differentiation, 437

Viral movement

- cucumber mosaic virus, complementation in transgenic tobacco expressing CMV 3a gene, 188

Viral transmission

- HIV-1 subtype D, G, and A/D recombinant in Sweden, biological and molecular characterization, 136

Virion

- lymphocytic choriomeningitis virus glycoprotein complex dissociation from, pH dependence and kinetics, 3

Viroids, see Potato spindle tuber viroid**Virulence**

- porcine rotavirus, associated genes, identification in gnotobiotic piglet model, 274

Virus-host interactions

- herpes simplex virus type 1 Vmw110 polypeptide with cellular 135-kDa protein, required viral sequences, identification, 174

V3 loop

- HIV-1 gp120, restriction of viral entry of T-cell tropic strains in macrophages, 696

Y**Yeast***Saccharomyces cerevisiae*

- assembly of human papillomavirus type 6a virus-like particles in, 506
- HSV-1 transcription, activation by VP16 DNA-binding derivatives lacking carboxy-terminal acidic activation domain, 19